



SAFETY DATA SHEET

Quali-Pro Imidacloprid 2F Turf and Ornamental Insecticide

SECTION 1: IDENTIFICATION

Product Name: Quali-Pro Imidacloprid 2F Turf and Ornamental Insecticide
EPA Registration No.: 53883-514
Recommended Use: Insecticide; See product label for a complete list of uses and use sites.
Restrictions on Use: See product label for any restrictions on the use of this product.
Chemical Family: Neonicotinoid
Chemical Name of Active Ingredient(s): Imidacloprid: 1.1-((6-chloro-3-pyridinyl)methyl)-N-nitro-2-imidazolidinimine
Manufactured for: Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507

FOR FIRE, SPILL, AND/OR LEAK EMERGENCIES CONTACT: [CHEMTREC 1-800-424-9300](tel:1-800-424-9300)

FOR MEDICAL EMERGENCIES AND HEALTH AND SAFETY INQUIRIES CONTACT: [Safety Call 1-866-897-8050](tel:1-866-897-8050)

SECTION 2: HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW: Eggshell white liquid with a mild odor.

OSHA HCS CLASSIFICATION (29 CFR 1910.1200)

Acute Oral Toxicity	Category 4
Acute Inhalation Toxicity	Category 4

Signal Word: WARNING



Hazard Statement(s): Harmful if swallowed
Harmful if inhaled

Precautionary Statement(s):

Prevention: Avoid breathing spray/mist.
Use only outdoors or in a well-ventilated area.
Wash hands, face, and any exposed skin thoroughly after handling.
Do not eat, drink, or smoke when using this product.

Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
IF SWALLOWED: Call a poison/doctor if you feel unwell. Rinse mouth

Storage: See section 7 for storage information.

Disposal: Dispose of contents/container in accordance with Federal, state, and local laws and regulations.

Quali-Pro Imidacloprid 2F Turf and Ornamental Insecticide

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Imidacloprid	138261-41-3	21.8%
Propylene glycol	57-55-6	4.0 – 7.0%

*Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

SECTION 4: FIRST AID MEASURES

IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF INGESTED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician: No specific antidote is available. Treat patient symptomatically.

Most important symptoms/effects, acute and delayed: May cause mild eye irritation.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Foam, dry chemical, carbon dioxide or water spray
Unsuitable Extinguishing Media:	Water jet
Hazardous Combustion Products:	Thermal decomposition may produce toxic oxides of carbon and nitrogen. Hydrogen chloride and hydrogen cyanide may also be released.
Special Protective Equipment & Precautions:	Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Foam and/or dry chemical are preferred to minimize environmental contamination. If water is used, dike and collect water to prevent run-off. Wear self-contained breathing apparatus and full fire-fighting turn-out gear (Bunker gear).
Unusual Fire & Explosion Hazards:	None known

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	See Section 8 for personal protection equipment.
Environmental Precautions:	Keep spilled material and any rinsate from contaminating soil or from entering sewage and drainage systems and bodies of water.
Methods for Containment:	Isolate the spill area. Keep unnecessary and unprotected personnel from entering. Absorb small spills with sand, vermiculite or other inert absorbent. Dike large spills using absorbent or impervious material such as clay or sand.

Quali-Pro Imidacloprid 2F Turf and Ornamental Insecticide

Revision Date: March 1, 2022

Recover and contain as much free liquid as possible for reuse. Allow absorbed material to solidify and scrape up for disposal.

Methods for Clean-up: Place contaminated material in appropriate container for disposal. After removal, flush contaminated area thoroughly with water. Pick up wash liquid with additional absorbent and place in a disposable container. Do not put spilled material back in the original container.

Other Information: None known

SECTION 7: HANDLING AND STORAGE

Handling: RECOMMENDATIONS ARE INTENDED FOR MANUFACTURING, PACKAGING AND COMMERCIAL BLENDING WORKERS. PESTICIDE APPLICATORS AND WORKERS must refer to the product label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Handle and open container in a manner as to prevent spillage. Do not eat, drink or smoke while handling this product. Immediately wash off accidental splashes of the concentrate or spray mixture from skin, clothing and out of eyes.

Storage: See pesticide label for full information on product storage. Do not contaminate water, food or feed by storage of this product. Store away from sources of heat, out of direct sunlight and away from incompatible materials. Pesticides should be stored in secured areas away from children and animals.

Storage Temperature (Min/Max): Not determined

Product Incompatibilities: Strong oxidizers

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Users of a pesticide product must refer to the product label for personal protective equipment requirements.

Exposure Guidelines:

COMPONENT	OSHA PEL	ACGIH TLV	NIOSH REL
No components listed			

Engineering Controls: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.

Respiratory Protection: In areas of poor ventilation, use a NIOSH approved respirator with cartridges/canisters approved for pesticides.

Eye Protection: Chemical goggles or safety glasses and full-face shield.

Protective Gloves: Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile, neoprene rubber, polyvinyl chloride (PVC) or Viton.

Other Protective Clothing: Long-sleeved shirt, long pants and chemical resistant footwear plus socks.

General Safety Measures: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately after handling this product. Wash outside of gloves before removing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for

Quali-Pro Imidacloprid 2F Turf and Ornamental Insecticide

Revision Date: March 1, 2022

washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Eggshell white liquid	Upper/Lower Flammability Limits:	Not determined
Odor:	Mild	Vapor Pressure:	Not determined
Odor Threshold:	Not determined	Vapor Density:	Not determined
pH (1% dispersion):	6.5 – 7.5	Relative Density (@24°C):	1.1384 (typical)
Melting /Freezing Point:	Not determined	Solubility:	Not determined
Boiling Point/Range:	Not determined	Partition Coefficient:	Not determined
Flash Point:	Not applicable	Auto-ignition Temperature:	Not determined
Evaporation Rate:	Not determined	Decomposition Temperature:	Not determined
Flammability:	Not applicable	Viscosity (@25°C):	450 cps at 600 rpm

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	No hazardous chemical reactions known.
Chemical Stability:	Stable under normal storage and handling conditions.
Possibility of Hazardous Reactions:	No potential for hazardous reactions known.
Conditions to Avoid:	Extreme temperatures
Incompatible Materials:	None known
Hazardous Decomposition Products:	Thermal decomposition may produce toxic oxides of carbon and nitrogen. Hydrogen chloride and hydrogen cyanide may also be released.

SECTION 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eye contact, Skin contact, Inhalation, Ingestion
Symptoms of Exposure:	None known
Oral LD₅₀:	>1,190 mg/kg
Dermal LD₅₀:	>5,000 mg/kg
Inhalation LC₅₀:	>3.452 mg/L (4-hour)
Eye Irritation/Damage:	Non-irritating
Skin Corrosion/Irritation:	Non-irritating
Skin Sensitization:	Not a skin sensitizer

Chronic/Subchronic Toxicity: Imidacloprid Technical: 2-year feeding study in rats resulted in an NOEL of 100 ppm; 1-year feeding study in dogs resulted in an NOEL of 1,250 ppm.

Mutagenicity: Imidacloprid Technical: In a battery of 23 laboratory mutagenicity assays, imidacloprid tested negative for mutagenic effects in all but two of the assays. It did test positive for causing changes in chromosomes in human lymphocytes, as well as testing positive for genotoxicity in Chinese hamster ovary cells. Taken collectively, the data demonstrate that imidacloprid is not mutagenic.

Reproductive Toxicity: Imidacloprid Technical: NOEL 100 ppm (8 mg/kg/day)(rat)

Neurotoxicity: No data available

Target Organs: Imidacloprid Technical: Thyroid lesions at very high doses in rats.

Aspiration Hazard: Not anticipated to be an aspiration hazard.

Quali-Pro Imidacloprid 2F Turf and Ornamental Insecticide

Carcinogenicity: Imidacloprid Technical: There were no carcinogenic effects in a 2-year carcinogenicity study in rats fed up to 1,800 ppm imidacloprid.

Chemical Name	ACGIH	IARC	NTP	OSHA
No components listed				

SECTION 12: ECOLOGICAL INFORMATION

Environmental Hazards Statement from FIFRA Regulated Pesticide Label:

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Apply this product only as specified on this label. Extreme care must be taken to avoid runoff. Apply only to soil or other fill substrate that will accept the solution at the specified rate. Do not treat soil that is water-saturated or frozen or in any conditions where run-off or movement from the treatment area (site) is likely to occur.

ECOTOXICITY DATA:

Data presented below is on the imidacloprid technical product.

Fish Toxicity:

Rainbow trout: 96-hour LC₅₀ = 211 mg/L

Aquatic Invertebrate Toxicity:

Daphnia magna: 96-hour EC₅₀ = 85 mg/L

Aquatic Plant Toxicity:

Desmodemus subspicatus: 72 hr EC₅₀ >10 mg/L

Avian Toxicity:

No data available

Honeybee Toxicity:

0.008 µg/bee (contact)

ENVIRONMENTAL EFFECTS:

Persistence and Degradability: No data available

Bioaccumulation: No data available

Mobility: No data available

Other Adverse Effects: No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: **Refer to the pesticide label for full information on disposal.** Pesticide wastes are toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in proper disposal methods.

Container Disposal: **Refer to the pesticide label for full information on disposal.** When possible, triple rinse the container and offer for recycling if available.

Quali-Pro Imidacloprid 2F Turf and Ornamental Insecticide

RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

SECTION 14: TRANSPORTATION INFORMATION

DOT (Ground): Not regulated

IMDG (Sea): This product may meet the definition of a marine pollutant.

IATA (Air): Not regulated

SECTION 15: REGULATORY INFORMATION

Labeling Requirements Under FIFRA: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash clothing before reuse. Keep children or pets away from treated area until dry.

TSCA Inventory: This product is exempt from TSCA inventory listing requirements as it is solely for FIFRA regulated use.

SARA Title III Information:

Section 302 – Extremely hazardous substances: None

Section 311/312 – Hazard Categories: Acute (Immediate)

Section 313 – This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %
None listed		

CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Chemical Name	CAS Number	RQ	Quantity of Finished Product
None listed			

CALIFORNIA PROPOSITION 65:

Chemical Name	CAS Number	Prop 65 Category(ies)
None listed		

U.S. STATE RIGHT-TO-KNOW REGULATIONS:

Chemical Name	New Jersey	Massachusetts	Pennsylvania

Quali-Pro Imidacloprid 2F Turf and Ornamental Insecticide

Propylene glycol	X		X
------------------	---	--	---

SECTION 16: OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards – None
-------------	-------------------------	-----------------------	----------------------	-------------------------------

Disclaimer: Control Solutions, Inc. believes the information presented herein is accurate and correct as of the document date. The presented information is based upon available data from reliable sources. Control Solutions, Inc. makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: March 1, 2022
Document Superseded: November 20, 2015 (EPA Reg. No. 66222-203)
Revision Note: Product transferred. Updated format.