

DAKOTA



OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

410 Mounted

The Dakota 410 is specially designed to be body mounted on the John Deere Pro-Gator and Toro Workman. It will handle both wet & dry materials, allowing light to heavy dressing and can easily be loaded with a 1.8m wide tractor bucket. It features accurate and easy to operate calibration, with no manual adjustment*. The 410 is easy to fit and allows for easy servicing due to its hydraulic lift function. It can be used to fill bunkers or drainage runs with optional accessories. Wide spread pattern via dual spinner discharge system.

Specification

Spreading width	3.5m - 13.0m variable
Hopper size	0.91m (W) x 1.93m (L) x 0.36m (deep)
Hopper load height	1.37m
Hopper capacity	0.65m ³ (level) - 0.76m ³ (heaped)
Weight (approx)	354kg
Options:	*Electric / hydraulic or manual controls Hydraulic rear door shut-off Rear mounted cross conveyor Rear mounted stone/gravel chute Parking stand
Vehicle requirements	Hi-Flow hydraulics

(for John Deere, Toro and Jacobsen)

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Distributed by:



Hong Kong | Singapore | Malaysia | Australia

Email: info@centaur-asiapacific.com

Website: www.centaur-asiapacific.com

DAKOTA



OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

410 Towed

The Dakota 410 is specially designed for the fast transportation and application of top dressing. It will handle both wet and dry materials, allowing light to heavy dressing, and features an accurate and easy to operate electronic calibration system. In addition, the 410 features Ultra Trac turf tyres, an A-Frame hitch with adjustable height and a dual spinner discharge system. Using optional accessories, it can be used to fill bunkers or drainage runs with a 15cm hopper extension also available.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	0.91m (W) x 1.93m (L) x 0.36m (deep)
Hopper load height	1.27m
Hopper capacity	0.65m ³ (level) - 0.76m ³ (heaped)
Capacity with 15cm extension	0.91m ³ (level) - 1.02m ³ (heaped)
Weight	645kg approx
Tractor requirements	Vehicle of approx 20hp min with towing capability
Options:	Hydraulic rear door shut-off Rear mounted cross conveyor / 15cm hopper ext. Rear mounted stone / gravel chute Electric / hydraulic or manual controls
Tyres	2 x Ultra Trac 26.5 x 14 x 12

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Distributed by:



Hong Kong | Singapore | Malaysia | Australia

Email: info@centaur-asiapacific.com

Website: www.centaur-asiapacific.com

DAKOTA

Campey
TURF CARE SYSTEMS
QUALITY GROUND CARE EQUIPMENT

OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

411 Towed

The Dakota 411 is specially designed for the fast transportation and application of top dressing. It will handle both wet and dry materials allowing light to heavy dressings, and can easily be loaded with a 1.8m wide tractor bucket. It features accurate and easy to operate calibration with no manual adjustment*, and 4 x 14" Ultra-Trac turf tyres, on independent floating beam axles, for maximum weight distribution. Optional accessories for material handling and a 28cm deep hopper extension are also available.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	0.91m (W) x 1.93m (L) x 0.36m (deep)
Hopper load height	1.27m
Hopper capacity	0.65m ³ (level) - 0.76m ³ (heaped)
Capacity with 28cm extension	1.14m ³ (level) - 1.25m ³ (heaped)
Overall length & width / weight	3.66m x 2.08m / 525kg
Tyres	4 x Ultra Trac 26.5 x 14 x 12
Tractor requirements	30hp
Options:	*Electric / hydraulic or manual controls. Hydraulic rear door shut-off Rear cross Conveyor. 28cm Hopper extension Rear mounted stone/gravel chute

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Distributed by:

 **CENTAUR**
ASIA PACIFIC

Hong Kong | Singapore | Malaysia | Australia

Email: info@centaur-asiapacific.com

Website: www.centaur-asiapacific.com



DAKOTA

412 Towed

The Dakota 412 is a mid-range topdresser for the fast transportation and application of top dressing. It will handle both wet and dry materials allowing light to heavy dressings, and can be easily loaded with a 1.8m wide tractor bucket. It features accurate and easy to operate calibration with no manual adjustment and features 4 x 14" Ultra-Trac turf tyres, on independent floating beam axles, for maximum weight distribution. Controls are electro-hydraulic operated from the operator's seat, with the basic manual model using elec stop - start with no vibration.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	1.52m (W) x 1.93m (L) x 0.96m (deep)
Hopper load height	1.68m
Hopper capacity	1.53m ³ (level) - 1.85m ³ (heaped)
Weight (approx)	827kg (3549kg G.V.W)
Overall length & width	3.95m x 2.08
Tyres 4 x Ultra Trac	26.5 x 14 x 12
Tractor requirements	35hp
Options:	Hydraulic rear door shut-off Electric / hydraulic or manual controls



Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Distributed by:



Hong Kong | Singapore | Malaysia | Australia

Email: info@centaur-asiapacific.com

Website: www.centaur-asiapacific.com



DAKOTA

414 Towed

The Dakota 414 is a large towed topdresser with a huge 3.25m³ capacity hopper. It will handle both wet and dry material allowing light to heavy dressing, and can be easily loaded with a 1.8m tractor bucket. It features accurate and easy calibration with no manual adjustment using the full electric/hydraulic cab mounted console, which allows a variable spreading width up to 13m wide via the dual spinner system. In addition, the 414 features 4 x 20" Supatrac turf tyres on independent floating beam axles for maximum flotation.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	1.78m (W) x 2.54m (L) x 1.00m (deep)
Hopper load height	2.00m
Hopper capacity	3.25m ³ (level) - 3.82m ³ (heaped)
Weight (approx)	1361kg (5,897kg G.V.W.)
Overall length & width	4.77m x 2.44m
Tyres	4 x Supa Trac tyres 33 x 20 x 16.1
Tractor requirements	40hp minimum
Options:	Hydraulic rear door shut-off

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Distributed by:



Hong Kong | Singapore | Malaysia | Australia

Email: info@centaur-asiapacific.com

Website: www.centaur-asiapacific.com



DAKOTA

420 Towed

The Dakota 420 is a mid-range topdresser and multi-function material handler. It will handle both wet and dry material allowing light to heavy dressing and can be loaded with a 1.8m wide tractor bucket. It features accurate and easy to operate full electric / hydraulic calibration with no manual adjustment, all from the vehicle mounted control panel. The 420 has 4 x 14" Ultra Trac turf tyres on independent floating beam axles, large capacity hopper, front mounted side conveyor and spreading width up to 13m wide via the dual spinner discharge system.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	1.52m (W) x 1.93m (L) x 0.76m (deep)
Hopper load height	1.68m
Hopper capacity	1.53m ³ (level) - 1.85m ³ (heaped)
Overall length & width	4.36m x 2.08m
Weight	1360kg
Side-arm conveyor	35cm wide. 120cm - 185cm discharge height
Tyres 4 x Ultra Trac	26.5 x 14 x 12
Tractor requirements	30hp minimum
Options:	Hydraulic rear door shut-off Front mounted stone / gravel chute Front mounted box scraper

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Distributed by:



Hong Kong | Singapore | Malaysia | Australia

Email: info@centaur-asiapacific.com

Website: www.centaur-asiapacific.com

DAKOTA



OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

440 Towed

The Dakota 440 is a large capacity, highly versatile topdresser and material handler. It will handle both wet and dry material allowing light to heavy dressing and can be loaded with a 1.8m wide tractor bucket. It features accurate and easy to operate full electric / hydraulic calibration with no manual adjustment, all from the vehicle mounted control panel. The 440 has 4 x 20" Supa Trac turf tyres on independent floating beam axles, large capacity hopper, front mounted side conveyor and spreading width up to 13m wide via the dual spinner discharge system. Full electric / hydraulic controls.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	1.78m (W) x 2.54m (L) x 1.00m (deep)
Hopper load height	2.00m
Hopper capacity	3.25m ³ (level) - 3.82m ³ (heaped)
Overall length & width / weight	4.77m x 2.44m / 1750kg
Side-arm conveyor	35cm wide. 120cm - 185cm discharge height.
Tyres	4 Supa Trac tyres, 33 x 20 x 16.1
Tractor requirements	40hp minimum
Options:	Hydraulic rear door shut-off Front mounted box scraper / Blender Option Front mounted stone/gravel chute

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Distributed by:



Hong Kong | Singapore | Malaysia | Australia

Email: info@centaur-asiapacific.com

Website: www.centaur-asiapacific.com

DAKOTA

Campey
TURF CARE SYSTEMS
QUALITY GROUND CARE EQUIPMENT

OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

Options


A front mounted, floating Box Scraper is available for the 440 and 420 models, for creating layers of dressing during construction or renovation.

Automatic, hydraulic rear doors are available for all models.

Front mounted stone/gravel chutes are available for 440 models. Rear stone/gravel chutes are available for 410 and 411 models.

The Dakota 440 Blender option is an adjustable, material mixing system to pre-mix material before discharge and is mounted on the front of the main hopper.

Rear mounted cross conveyors are available for 410 and 411 models.



Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Distributed by:

CENTAUR
ASIA PACIFIC

Hong Kong | Singapore | Malaysia | Australia

Email: info@centaur-asiapacific.com

Website: www.centaur-asiapacific.com